

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1785	222/55-56.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 11:33
L2	971	222/52.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 11:44
L3	2407	222/1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 11:49
L4	1490	222/318.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:01
L5	681	222/109.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:07
L6	496	222/129.2-129.3. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:18
L7	1251	222/144.5.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:22
L8	595	222/145.1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:27
L9	814	222/189.06.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:33
L10	1013	222/145.5-145.6. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:39
L11	812	222/190.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:47
L12	516	222/145.7.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:50
L13	495	222/71.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:54
L14	1245	210/650.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 12:59
L15	273	210/677.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 13:08
L16	145	210/900.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/10 13:15
L17	2837	laboratory and water and valve and purifi\$6 and first and second and slow and fast and rate and flow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 13:35

L18	4	17 and "222"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 13:36
L19	138	17 and "210"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/10 13:37
S1	1	("5935441").PN.	USPAT	OR	OFF	2007/06/12 14:17
S2	584158	flow near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 14:18
S3	332577	S2 and first and second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 14:22
S4	5167	S3 and "222"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 14:25
S5	2221	S4 and water	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 14:52
S6	1883	S5 and valve	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 14:54
S7	460	S6 and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 15:40
S8	139	S7 and pump and solenoid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/06/12 15:41

S9	55	("3122162" "3317184" "3659631" "3688947" "3703273" "3920149" "3948419" "3949903" "4486053" "4487333" "4550858" "4664292" "4665809" "4718443" "4766921" "4798527" "4821925" "4890774" "4955507" "4979639" "5000357" "5012955" "5033644" "5033645" "5062555" "5068116" "5102011" "5106053" "5251655" "5303846" "5312017" "5332123" "5360140" "5454406" "5566732" "5603430" "5730324" "5731981" "5823388" "5842603" "5868279" "5960997" "6092693" "6116230" "6220747" "6354468" "6364159" "6374845" "6412594" "6450369" "6536626" "6550641" "6550642").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/30 14:45
----	----	---	---------------------------	----	-----	---------------------

S10	5238	water near faucet	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/30 14:45
S11	1092	S10 and filter	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/30 14:46
S12	546	S11 and flow and rate	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/30 14:55
S13	1	S12 and "401"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/30 14:48
S14	31	S12 and "222"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/30 14:48
S15	10858	different same (flow adj rate) same valve	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/30 14:56
S16	488	S15 and "222"/\$. ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/30 14:56
S17	274	S16 and water	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/30 14:57
S18	9	S16 and purification	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/30 14:58
S19	276	purification same water and flow adj rate same valve same different	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/30 14:59
S20	96	purification same water and flow adj rate same valve same different	USPAT	OR	ON	2007/11/30 15:03
S21	7	purification same water and flow adj rate same valve same different same solenoid	USPAT	OR	ON	2007/11/30 15:05
S22	21	purification same water and flow adj rate same valve same different and solenoid	USPAT	OR	ON	2007/11/30 15:18
S23	47	purification same water and flow adj rate same valve same var\$4 and solenoid	USPAT	OR	ON	2007/11/30 16:51

S24	1118	water and flow adj rate same valve same var\$4 and solenoid	USPAT	OR	ON	2007/11/30 20:14
S25	80	S24 and "222"/\$. ccls.	USPAT	OR	ON	2007/11/30 16:55
S26	10	syrup same flow same rate same valve same var\$4 same solenoid	USPAT	OR	ON	2007/11/30 20:25
S27	19	syrup and flow near rate same valve same var\$4 same solenoid	USPAT	OR	ON	2007/11/30 22:16
S28	15	syrup and flow near rate same valve same var\$4 same solenoid and high\$2 and low\$2	USPAT	OR	ON	2007/11/30 23:47
S29	5535	flow near rate same valve same solenoid	USPAT	OR	ON	2007/11/30 23:47
S30	86	S29 and 222/129- 137.ccls.	USPAT	OR	ON	2007/11/30 23:48
S31	250	faucet and water and filter and purif \$3 and mix\$3	USPAT; USOCR	OR	ON	2008/07/31 08:59
S32	14	S31 and "137"/\$. ccls.	USPAT; USOCR	OR	ON	2008/07/31 09:00

3/10/09 1:42:45 PM

C:\Documents and Settings\FNicolas\My Documents\EAST\Workspaces\10507166.wsp